

## **ProStar20 Alloy Podium Steps**

Approved & Certified to British Standard BS8620 (PAS250)

**FREE  
DELIVERY**

# **ProStar20 Podium Steps**

**certified to  
BS8620  
(PAS250)**

**choice of  
6 sizes**

**anti-surf  
base as  
standard**

**[www.ladders999.co.uk](http://www.ladders999.co.uk)**

- ▶ Certified to BS8620 standard ; swl 150kg.
- ▶ All models have 2 platform heights.
- ▶ Footprint size open 1.37m x 0.65m.
- ▶ All sizes easily fit through a standard doorway when mostly assembled (& tilted!).
- ▶ Quick and easy to unfold and use.
- ▶ Easy to manoeuvre and put in position for any job.
- ▶ HSE preferred "Anti-Surf Base" prevents unsafe use on site.

**01452 520144**  
**[www.ladders999.co.uk](http://www.ladders999.co.uk)**



# ProStar20 Alloy Podium Steps

Approved & Certified to British Standard BS8620 (PAS250)



- ▶ Folds nearly flat for transport and storage (260mm / 10" thick).
- ▶ Robustly engineered for regular Industrial / Professional use.
- ▶ Choice of 6 sizes giving safe working heights up to 3.90m.

**01452 520144**  
[www.ladders999.co.uk](http://www.ladders999.co.uk)



# ProStar20 Alloy Podium Steps

Approved & Certified to British Standard BS8620 (PAS250)



- ▶ Fully certified to BS8620:2016 (PAS250) and compliant with UK safety regulations.
- ▶ Rapid one-man use - simply unfold the unit, locate platform, ladder & stabilisers and start work!
- ▶ Fully guardrailed with access by self-closing saloon style gate.
- ▶ Anti-surf base as preferred by HSE with 2 x locking swivel castors & 2 x rubber feet.
- ▶ Easily manoeuvrable - tilt-n-roll castors allow ProStar20 to be rolled between locations.
- ▶ Folds nearly flat for transport and storage (260mm / 10" thick).
- ▶ Robustly engineered for regular Professional use.
- ▶ Choice of 6 sizes giving safe working heights up to 3.90m.
- ▶ Outriggers/stabilisers with all models for stability & safety.
- ▶ Provides a 600mm square platform & base footprint size 1.37m x 0.65m excluding stabilisers.
- ▶ UK manufactured in BS ISO9001 approved system, plus kitemarked BS8620 with max load 150kg.

## PROSTAR20 Podium Steps - Tested & Certified to BS8620 (PAS250)

code	Platform Heights	No. Platform Heights	Approx Working Heights	Closed Size HxWxD	Appx Weight
PROP075	0.75m + 0.50m	2	1.50m - 2.75m / 5' 0" - 9' 0"	1.76 x 1.37 x 0.26m	31kg
PROP100	1.00m + 0.75m	2	1.75m - 3.00m / 5' 6" - 10' 0"	2.01 x 1.37 x 0.26m	33kg
PROP125	1.25m + 1.00m	2	2.00m - 3.25m / 6' 6" - 10' 6"	2.26 x 1.37 x 0.26m	35kg
PROP150	1.50m + 1.75m	2	2.25m - 3.50m / 7' 6" - 11' 6"	2.51 x 1.37 x 0.26m	40kg
PROP175	1.75m + 1.50m	2	2.50m - 3.75m / 8' 0" - 12' 0"	2.76 x 1.37 x 0.26m	45kg
PROP192	1.92m + 1.75m	2	2.75m - 3.92m / 9' 0" - 13' 0"	3.01 x 1.37 x 0.26m	48kg

Normally in stock for **FREE DELIVERY** most England & Wales. Scotland deliveries extra — POA.

See our excellent website at  
**www.ladders999.co.uk**

for prices of these and our huge range  
of ladders, steps, podium steps  
and scaffold towers



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE  
EASTERN AVENUE **GLOUCESTER** GL4 3SN  
FAX : 01452 505580  
**TEL: 01452 520144**

All prices, details and specifications are subject to change without notice and are those ruling at date of order. E&OE.

**www.ladders999.co.uk** sales@lansfordaccess.co.uk